

34862-2DG Klucz dynamometryczny 1", 300-1500Nm, dł.1850mm, uchwyt gumowy **3087,34 netto**



34862-2DF Klucz dynamometryczny 1", 300-1500Nm, dł.1850mm, uchwyt moletowany **3072,04 netto**



4430 Nasadki długie udarowe 1/2", 12-kątne

KING TCMY	mm	D1 (mm)	D2 (mm)	e (mm)	L (mm)	netto
443008M	8	14	25	12	78	23,17
443009M	9	15	25	12	78	23,17
443010M	10	17	25	12	80	23,17
443011M	11	18	25	13	80	23,17
443012M	12	19	25	14	80	23,17
443013M	13	20	25	14	80	23,17
443014M	14	22	25	14	80	23,17
443015M	15	23	30	16	80	27,24
443016M	16	24	30	16	80	27,24
443017M	17	26	30	17	80	27,24
443018M	18	27	30	18	80	27,24
443019M	19	28	30	20	80	27,24
443020M	20	29.2	30	20	80	27,24
443021M	21	30	30	22	80	30,20
443022M	22	32	30	22	80	30,20
443023M	23	33	30	24	80	30,20
443024M	24	34	30	24	80	30,69
443027M	27	38	30	27	80	33,77
443030M	30	42	30.5	30	80	37,84
443032M	32	44	30	32	80	37,84
443036M	36	47	30	36	80	39,81



77335-25 Szczelinomierze, 25szt. **33,25 netto**

KING TCMY	Number of Blades	Width x Length of Blades (mm)	Contents:
77335-25	25	13 x 85	0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95, 1.00 mm



4056 Nasadki krótkie udarowe 1/2" z końcówką spline

KING TCMY	SIZE	L (mm)	Max. Torq (Nm)	netto
405608M	M 8	60	144.0	40,31
405610M	M10	60	264.0	40,31
405612M	M12	60	420.0	43,27



4066 Nasadki extra długie 1/2" z końcówką spline

KING TCMY	SIZE	Total Length (mm)	netto
406608	M8	140	32,95
406610	M10	140	35,80
406612	M12	140	38,56



402B18 Nasadka krótka 1/2" z końcówką spline M18x66mm **27,23 netto**




4462 Pokręto łamane (180 st.) 1/2", chrom, uchwyt moletowany

KING TCMY	Total Length (inch)	Length (mm)	netto
4462-18	18	450	77,52
4462-24	24	600	112,20



5772 Pokręta przegubowe typu „T” z nasadkami

KING TCMY	SIZE (mm)	e (mm)	L (mm)	netto
577208M	8	200	400	59,77
577210M	10	200	400	59,77
577212M	12	200	400	60,79
577213M	13	200	450	63,44
577214M	14	200	450	63,44
577217M	17	200	450	67,63



77340-20 Szczelinomierze, 20szt.**30,60 netto**

KING TONY	Number of Blades	Width x Length of Blades (mm)	Contents:
77340-20	20	10 x 100	0,05, 0,10, 0,15, 0,20, 0,25, 0,30, 0,35, 0,40, 0,45, 0,50, 0,55, 0,60, 0,65, 0,70, 0,75, 0,80, 0,85, 0,90, 0,95, 1,00 mm

**9TK** Łyżki montażowe

KING TONY	L (mm)	netto
9TK108	204	13,97
9TK112	312	24,77
9TK118	458	43,76
9TK124	608	52,73

**4930** Nasadki długie udarowe 1/2", 12-kątne

KING TONY	mm	D1 (mm)	D2 (mm)	e (mm)	L (mm)	netto
493008M	8	13.2	25	20	80	23,42
493009M	9	14.0	25	20	80	23,42
493010M	10	15.5	25	20	80	23,66
493011M	11	16.7	25	20	80	23,66
493012M	12	18.0	25	20	80	23,66
493013M	13	19.0	25	20	80	23,66
493014M	14	20.5	25	20	80	23,66
493015M	15	21.5	30	20	80	25,39
493016M	16	23.0	30	20	80	27,00
493017M	17	24.5	30	23	80	27,00
493018M	18	25.5	30	23	80	27,00
493019M	19	27.0	30	23	80	27,00
493020M	20	28.0	30	23	80	27,49
493021M	21	29.0	30	25	80	27,98
493022M	22	30.5	30	25	80	33,90
493023M	23	32.0	30	26	80	35,00
493024M	24	33.0	30	26	80	35,00
493027M	27	37.0	30	27	80	37,59
493030M	30	40.5	30	27	80	37,84
493032M	32	42.5	30	27	80	41,54
493036M	36	45.5	30	32	80	47,46

**9TK014** Kpl. łyżek montażowych, 4cz. 204-608mm**148,92 netto****2142** Uchwyt magnetyczny do bitów 1/4"**5,81 netto**